Journal of

MEDICAL GENETICS

VOLUME 38 · 2001

Editor: Eamonn R Maher
Associate Editors: Charis Eng
Willie Reardon
Guy Van Camp
Technical Editor: Clare Henderson
Editorial Assistant: Louise Camp

EDITORIAL COMMITTEE

L Aaltonen (Finland)
S E Antonarakis (Switzerland)
J Burn (UK)
H Brunner (The Netherlands)
D F Callen (Australia)
G Evers-Kiebooms (Belgium)
R J M Gardner (Australia)
R J Gorlin (USA)
A G Knudson Jr (USA)
C Larsson (Sweden)
E Legius (Belgium)
D Malkin (Canada)
A Munnich (France)
B Ponder (UK)
K A Schneider (USA)
T Strachan (UK)
R Trembath (UK)
H Torriello (USA)
M Warman (USA)
M Zeviani (Italy)
Editor,
British Medical Journal

APPOINTED BY THE BRITISH MEDICAL ASSOCIATION

BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE · LONDON WC1H 9JR

VOLUME 38 • CONTENTS

No 1 JANUARY 2001

Page

Review article

1 *SHOX* haploinsufficiency and overdosage: impact of gonadal function status *T Ogata, N Matsuo, G Nishimura*

Original articles

7 Identification of a novel psoriasis susceptibility locus at 1p and evidence of epistasis between *PSORS1* and candidate loci *C D Veal, R L Clough, R C Barber, S Mason, D Tillman, B Ferry, A B Jones, M Ameen, N Balendran, S H Powis, A D Burden, J N W N Barker, R C Trembath*

14 A broad spectrum of clinical presentations in congenital disorders of glycosylation I: a series of 26 cases *P de Lonlay, N Seta, S Barrot, B Chabrol, V Drouin, B M Gabriel, H Journel, M Kretz, J Laurent, M Le Merrer, A Leroy, D Pedespan, P Sarda, N Villeneuve, J Schmitz, E van Schaftingen, G Matthijs, J Jaeken, C Korner, A Munnich, J M Saudubray, V Cormier-Daire*

20 Genetic analysis of the connexin-26 M34T variant: identification of genotype M34T/M34T segregating with mild-moderate non-syndromic sensorineural hearing loss *M J Houseman, L A Ellis, A Pagnamenta, W-L Di, S Rickard, A H Osborn, H-H M Dahl, G R Taylor, M Bitner-Glindzicz, W Reardon, R F Mueller, D P Kelsell*

26 Molecular characterisation of four cases of intrachromosomal triplication of chromosome 15q11-q14 *P Ungaro, S L Christian, J A Fantes, A Mutirangura, S Black, J Reynolds, S Malcolm, W B Dobyns, D H Ledbetter*

Short report

35 Leucodystrophy and oculocutaneous albinism in a child with an 11q14 deletion *I Coupry, L Taine, C Goizet, C Soriano, B Mortemousque, B Arveiler, D Lacombe*

Clinical genetics in practice

39 The whole truth and nothing but the truth, but what is the truth? *H M A van den Boer-van den Berg, A A Maat-Kievit*

Letters to the Editor

43 Sensitivity and predictive value of criteria for p53 germline mutation screening *A Chompret, A Abel, D Stoppa-Lyonnet, L Brugières, S Pagès, J Feunteun, C Bonaïti-Pellié*

47 Identification of a transcriptionally compromised allele of *c-MYC* in a North American family *D Siwarski, J Kim, L Diaw, K Huppi*

49 *E-cadherin* is not frequently mutated in hereditary gastric cancer *E Avizienyte, V Launonen, R Salovaara, T Kiviluoto, L A Aaltonen*

52 The spectrum and evolution of phenotypic findings in *PTEN* mutation positive cases of Bannayan-Riley-Ruvalcaba syndrome *M A Parisi, M B Dinulos, K A Leppig, V P Sybert, C Eng, L Hudgins*

58 A frameshift mitochondrial complex I gene mutation in a patient with dystonia and cataracts: is the mutation pathogenic? *D K Simon, M A Tarnopolsky, J T Greenamyre, D R Johns*

61 A common ancestor for *COCH* related cochleovestibular (DFNA9) patients in Belgium and The Netherlands bearing the P51S mutation *E Fransen, M Verstreken, S J H Bom, F Lemaire, M H Kemperman, Y J M de Kok, F L Wuyts, W I M Verhagen, P L M Huygen, W T McGuirt, R J H Smith, L van Maldergem, F Declau, C W R J Cremers, P H van de Heyning, F P M Cremers, G van Camp*

65 The spastic paraplegia SPG10 locus: narrowing of critical region and exclusion of sodium channel gene *SCN8A* as a candidate *E Reid, A Escayg, A M Dearlove, D D Lee, M H Meisler, D C Rubinsztein*

67 Cytogenetic and molecular study of a jumping translocation in a baby with Dandy-Walker malformation *G Lefort, P Blanchet, A M Chaze, A Girardet, P Sarda, J Demaille, F Pellestor*

73 Clinical and cytogenetic characterisation of a patient with Down syndrome resulting from a 21q22→qter duplication *M Nadal, C G Vigo, M I Melaragno, J A D Andrade, L G Alonso, D Brunoni, M Pritchard, X Estivill*

Stable non-Robertsonian dicentric chromosomes: four new cases and a review *E Lemyre, V M Der Kaloustian, A M V Duncan*

79 **Correction**

80 **Instructions for authors**

Electronic letters

e1 How microsatellite analysis can be exploited for subtelomeric chromosomal rearrangement analysis in mental retardation *E Borgione, M L Giudice, O Galesi, L Castiglia, P Failla, C Romano, A Ragusa, M Fichera*

e2 Mosaic terminal del(19)(q13.33:) in a girl with seizures and mental retardation *R V Mikelsaar, K Varb, A Sõvari, A Schinzel*

e3 Atypical clinical picture of the Nijmegen breakage syndrome associated with developmental abnormalities of the brain *K H Chrzanowska, M Stumm, M Bekiesińska-Figatowska, R Varon, M Białecka, H Gregorek, J Michałkiewicz, M Krajewska-alasek, S Jóźwiak, A Reis*

e4 A novel 3600+11.5 kb C>G homozygous splicing mutation in a black African, consanguineous CF family *N Monnier, J-P Gout, I Pin, G Gauthier, J Lunardie*

No 2 FEBRUARY 2001

Page

Review article

81 Two hits revisited again *I P M Tomlinson, R Roylance, R S Houlston*

Original articles

86 Identification of interstitial maternal uniparental disomy (UPD) (14) and complete maternal UPD(20) in a cohort of growth retarded patients *T Eggermann, S Mergenthaler, K Eggermann, A Albers, K Linnemann, C Fusch, M B Ranke, H A Wollmann*

90 A comparison of methods for gene dosage analysis in HMSN type 1 *J S Rowland, D E Barton, G R Taylor, UK Clinical Molecular Genetics Society HMSN Project Group*

96 Evidence of a founder effect for four cathepsin C gene mutations in Papillon-Lefèvre syndrome patients *Y Zhang, T Lundgren, S Renvert, D N Tatakis, E Firatli, C Uygur, P S Hart, M C Gorry, J J Marks, T C Hart*

102 De novo recurrent germline mutation of the *BRCA2* gene in a patient with early onset breast cancer *R B van der Luijt, P H A van Zon, R P M Jansen, C J M van der Sijs-Bos, C C Wårlám-Rodenhuis, M G E M Ausems*

Letters to the Editor

106 Segmental uniparental isodisomy (UPD) for 2p16 without clinical symptoms: implications for UPD and other genetic studies of chromosome 2 *C A Stratakis, S E Taymans, D Schteingart, B R Haddad*

109 Mutations in *SURF1* are not specifically associated with Leigh syndrome *J von Kleist-Retzow, J Yao, J-W Taanman, K Chantrel, D Chretien, V Cormier-Daire, A Rötig, A Munnich, P Rustin, E A Shoubridge*

113 A novel mutation and novel features in Nijmegen breakage syndrome *P Maraschio, C Danesino, A Antoccia, R Ricordy, C Tanzarella, R Varon, A Reis, D Besana, A Guala, L Tiepolo*

117 Molecular cytogenetic characterisation of a complex 46, XY, t(7;8;11;13) chromosome rearrangement in a patient with Moebius syndrome *G Borck, J Wirth, T Hardt, H Tönnies, K Brøndum-Nielsen, M Bugge, N Tommerup, H-G Nothwang, H-H Ropers, T Haaf*

121 Use of a set of highly polymorphic minisatellite probes for the identification of cryptic 1p36.3 deletions in a large collection of patients with idiopathic mental retardation *F Giraudeau, L Taine, V Biancalana, B Delobel, H Journel, C Missirian, D Lacombe, D Bonneau, P Parent, D Aubert, Y Hauck, M F Croquette, A Toutain, M G Mattei, H A Loiseau, A David, G Vergnaud*

125 A transmitted deletion of 2q13 to 2q14.1 causes no phenotypic abnormalities *N D Sumption, J C K Barber*

127 Keratosis pilaris/ulerythema ophryogenes and 18p deletion: is it possible that the *LAMA1* gene is involved? *C C Zouboulis, C A Stratakis, H P M Gollnick, C E Orfanos*

128 Molecular characterisation of a proximal chromosome 18q deletion *M McEntagart, A Carey, C Breen, S Mcquaid, R L Stallings, A J Green, M D King*

129 Submicroscopic deletions of the *APC* gene: a frequent cause of familial adenomatous polyposis that may be overlooked by conventional mutation scanning *K J Flintoff, E Sheridan, G Turner, C E Chu, G R Taylor*

132 Homozygosity for a splice site mutation of the *COL1A2* gene yields a non-functional proa2(I) chain and an EDS/OI clinical phenotype *A C Nicholls, D Valler, S Wallis, F M Pope*

136 Mutation and haplotype analysis of the *CFTR* gene in atypically mild cystic fibrosis patients from Northern Ireland *D Hughes, T Dörk, M Stuhrmann, C Graham*

139 Risk perception and cancer worry: an exploratory study of the impact of genetic risk counselling in women with a family history of breast cancer *P Hopwood, A Shenton, F Lalloo, D G R Evans, A Howell*

143 **Notice**

144 **Instructions for authors**

Electronic letters

e5 DEFECT 11 syndrome associated with agenesis of the corpus callosum *T Yamamoto, S Akaboshi, H Ninomiya, E Nanba*

e6 Molecular characterisation of a supernumerary ring chromosome in a patient with VATER association *R Cinti, M Priolo, M Lerone, G Gimelli, M Seri, M Silengo, R Ravazzolo*

e7 Germline mutation analysis of the transforming growth factor β receptor type II (*TGFBR2*) and E-cadherin *(CDH1)* genes in early onset and familial colorectal cancer *L Verma, T R Porter, F M Richards, M H Rajpar, D G R Evans, F Macdonald, E R Maher*

No 3 MARCH 2001

Page **Original articles**

145 Clinical studies on submicroscopic subtelomeric rearrangements: a checklist *B B A de Vries, S M White, S J L Knight, R Regan, T Homfray, I D Young, M Super, C McKeown, M Splitt, O W J Quarrell, A H Trainer, M F Niermeijer, S Malcolm, J Flint, J A Hurst, R M Winter*

151 Clinical and molecular characterisation of 80 patients with 5p deletion: genotype-phenotype correlation *P Cerruti Mainardi, C Perfumo, A Cali, G Coucourde, G Pastore, S Cavani, F Zara, J Overhauser, M Pierluigi, F Dagna Bricarelli*

159 Male breast cancer in Cowden syndrome patients with germline *PTEN* mutations *J D Fackenthal, D J Marsh, A-L Richardson, S A Cummings, C Eng, B G Robinson, O I Olopade*

165 Association of a novel constitutional translocation t(1q;3q) with familial renal cell carcinoma *H-O Kanayama, W-O Lui, M Takahashi, T Naroda, D Kedra, F K Wong, Y Kuroki, Y Nakahori, C Larsson, S Kagawa, B T Teh*

171 *MECP2* mutation in non-fatal, non-progressive encephalopathy a male *B Imessaoudene, J-P Bonnefont, G Royer, V Cormier-Daire, S Lyonnet, G Lyon, A Munnich, J Amiel*

Letters to the Editor

175 Submicroscopic subtelomeric 1qter deletions: a recognisable phenotype? *B B A de Vries, S J L Knight, T Homfray, S F Smithson, J Flint, R M Winter*

178 Pure partial 7p trisomy including the *TWIST, HOXA*, and *GLI3* genes *A Mégarbané, M Le Lorc'h, H Elghezal, G Joly, P Gosset, N Souraty, L Samaras, M Pricur, M Vekemans, C Turleau, S P Romana*

182 Suggestive linkage of situs inversus and other left-right axis anomalies to chromosome 6p *E Vitale, V Brancolini, A de Rienzo, L Bird, V Allada, M Sklansky, C U Chae, G B Ferrero, J Weber, M Devoto, B Casey*

185 Founder effect in multiple endocrine neoplasia type 1 (MEN 1) in Finland *S Kytölä, A Villablanca, T Ebeling, B Nord, C Larsson, A Höög, F K Wong, M Välimäki, O Vierimaa, B T Teh, P I Salmela, J Leisti*

189 Familial non-medullary thyroid cancer in Iceland *J Hrafnkelsson, H Tulinius, J G Jónasson, G Olafsdóttir, H Sigvaldason*

191 Sulphate transporter gene mutations in apparently isolated club foot *C Huber, S Odent, S Rumeur, P Padovani, C Penet, V Cormier-Daire, A Munnich, M Le Merrer*

193 Development and application of linkage analysis in genetic diagnosis of familial hypertrophic cardiomyopathy *J Mogensen, P S Andersen, U Steffensen, M Christiansen, H Egeblad, N Gregersen, A D Børglum*

198 Genetic heterogeneity and exclusion of a modifying locus at 17p11.2-p11.1 in Finnish families with van der Woude syndrome *F K Wong, H Koillinen, J Rautio, B T Teh, R Ranta, A Karsten, O Larson, S Linder-Aronson, J Huggare, C Larsson, J Kere*

202 Analysis of the entire coding region of the cystic fibrosis transmembrane regulator gene in neonatal hypertrypsinaemia with normal sweat test *C Castellani, M G Benetazzo, A Tamanini, A Begnini, G Mastella, P Pignatti*

205 A heterozygous endothelin 3 mutation in Waardenburg-Hirschsprung disease: is there a dosage effect of *EDN3/EDNRB* gene mutations on neurocristopathy phenotypes? *V Pingault, N Bondurand, N Lemort, M Sancandi, I Ceccherini, J-P Hugot, P-S Jouk, M Goossens*

209 The small patella syndrome: description of five cases from three families and examination of possible allelism with familial patella aplasia-hypoplasia and nail-patella syndrome *E M H F Bongers, H van Bokhoven, M-N van Thienen, M A P Kooyman, S E C van Beersum, C Boetes, N V A M Knoers, B C J Hamel*

214 Uniparental isodisomy for paternal 2p and maternal 2q in a phenotypically normal female with two isochromosomes, i(2p) and i(2q) *B Albrecht, S Mergenthaler, K Eggermann, K Zerres, E Passarge, T Eggermann*

216 **Instructions for authors**

Electronic letters

e8 A new case of exomphalos, short limbs, and macrogonadism syndrome *G Viot, E Pannier, L Faivre, J Tantau, C Fallet-Bianco, J M Dupont, P Jouannet, M C Aubry, S Lyonnet, D Cabrol*

e9 A partial deletion of the aspartoacylase gene is the cause of Canavan disease in a family from Mexico *F E Tahmaz, S Sam, G E Hoganson, F Quan*

e10 Homoplasmic 3316G→A in the *ND1* gene of the mitochondrial genome: a pathogenic mutation or a neutral polymorphism? *C-W Lam, T Yang, M-W Tsang, C-P Pang*

No 4 APRIL 2001

Page **Review article**

217 Rett syndrome and the *MECP2* gene *T Webb, F Latif*

Original articles

224 Angelman syndrome phenotype associated with mutations in *MECP2*, a gene encoding a methyl CpG binding protein *P Watson, G Black, S Ramsden, M Barrow, M Super, B Kerr, J Clayton-Smith*

229 Prevalence of mitochondrial DNA mutations in childhood/congenital onset non-syndromal sensorineural hearing impairment *T P Hutchin, K R Thompson, M Parker, V Newton, M Bitner-Glindzicz, R F Mueller*

232 Genetic association of an *LBP-1c/CP2/LSF* gene polymorphism with late onset Alzheimer's disease *A E Taylor, A Yip, C Brayne, D Easton, J G Evans, J Xuereb, N Cairns, M M Esiri, D C Rubinsztein*

234 A polymorphism in the gene for microsomal epoxide hydrolase is associated with pre-eclampsia *P L M Zusterzeel, W H M Peters, W Visser, K J M Hermsen, H M J Roelofs, E A P Steegers*

Letters to the Editor

238 Autosomal dominant polycystic kidney disease unlinked to the *PKD1* and *PKD2* loci presenting as familial cerebral aneurysm *R S McConnell, D C Rubinsztein, T F Fannin, C S McKinstry, B Kelly, I C Bailey, A E Hughes*

240 Detection of heterozygous *SMN1* deletions in SMA families using a simple fluorescent multiplex PCR method *P Saugier-Veber, N Drouot, S Lefebvre, F Charbonnier, E Vial, A Munnich, T Frébourg*

243 Low prevalence of *SPINK1* gene mutations in adult patients with chronic idiopathic pancreatitis *J Ockenga, T Dörk, M Stuhrmann*

244 Interaction of coding region mutations and the Gilbert-type promoter abnormality of the *UGT1A1* gene causes moderate degrees of unconjugated hyperbilirubinaemia and may lead to neonatal kernicterus *A Kadakol, B S Sappal, S S Ghosh, M Lowenheim, A Chowdhury, S Chowdhury, A Santra, I M Arias, J R Chowdhury, N R Chowdhury*

249 Identification of two novel mutations in the *CACNA1A* gene responsible for episodic ataxia type 2 *K A Scoggan, T Chandra, R Nelson, A F Hahn, D E Bulman*

253 Detection of 11 germline inactivating *TP53* mutations and absence of *TP63* and *HCHK2* mutations in 17 French families with Li-Fraumeni or Li-Fraumeni-like syndrome *G Bougeard, J-M Limacher, C Martin, F Charbonnier, A Killian, O Delattre, M Longy, P Jonveaux, J-P Fricker, D Stoppa-Lyonnet, J-M Flaman, T Frébourg*

257 A distinct splice form of *APC* is highly expressed in neurones but not commonly mutated in neurepithelial tumours *K Steigerwald, I M Santoro, J J Kordich, V Gismondi, C Trzepacz, M Badiali, F Giangaspero, M G Balko, J S Graham, N Ratner, A M Lowy, L Varesco, J Groden*

262 Anauxetic dysplasia, a spondylometaepiphyseal dysplasia with extreme dwarfism *D Horn, E Rupprecht, J Kunze, J Spranger*

265 Adducted thumb-club foot syndrome in sibs of a consanguineous Austrian family *A R Janecke, K Unsinn, A Kreczy, I Baldissera, I Gassner, N Neu, G Utermann, T Müller*

269 Diaphragmatic hernia, hydrocephalus, and cardiac malformations in four pregnancies of a non-consanguineous couple *C D Delozier-Blanchet, J Lespinasse, M A Brundler, P Extermann*

271 Deletion 22q11 syndrome: acknowledging a lost eponym as we say farewell to an acronym *P D Turnpenny, R W Pigott*

273 Do patients with maternal uniparental disomy for chromosome 7 have a distinct mild Silver-Russell phenotype? *K Hannula, J Kere, S Pirinen, C Holmberg, M Lipsanen-Nyman*

279 **Book review**

280 **Instructions for authors**

Electronic letters

e11 No evidence for mosaicism in Silver-Russell syndrome *D Monk, M Hitchins, S Russo, M Preece, P Stanier, G E Moore*

e12 New problems in testing for Huntington's disease: the issue of intermediate and reduced penetrance alleles *A Maat-Kievit, M Losekoot, H van den Boer-van den Berg, G-J van Ommen, M Niermeijer, M Breuning, A Tibben*

No 5 MAY 2001

Page

Obituary

281 Cyril Astley Clarke *D Weatherall*

283 Cyril Clarke, *Journal of Medical Genetics*, and the foundation of clinical genetics *P Harper*

284 Persisting memories of Cyril Clarke in Baltimore *V A McKusick*

Review article

285 Methylation matters *J F Costello, C Plass*

Original articles

304 A novel acropectoral syndrome maps to chromosome 7q36 *M Dundar, T M Gordon, I Ozyazgan, F Oguzkaya, Y Ozkul, A Cooke, A G Wilkinson, S Holloway, F R Goodman, J L Tolmie*

310 The mannose binding lectin gene influences the severity of chronic liver disease in cystic fibrosis *M Gabolde, D Hubert, M Guilloud-Bataille, C Lenaerts, J Feingold, C Besmond*

312 Heterogeneous tissue distribution of a mitochondrial DNA polymorphism in heteroplasmic subjects without mitochondrial disorders *E Kirches, M Michael, M Warich-Kirches, T Schneider, S Weis, G Krause, C Mawrin, K Dietzmann*

Short report

318 Atypical HNPCC owing to *MSH6* germline mutations: analysis of a large Dutch pedigree *A Wagner, Y Hendriks, E J Meijers-Heijboer, W J F de Leeuw, H Morreau, R Hofstra, C Tops, E Bik, A H J T Bröcker-Vriends, C van der Meer, D Lindhout, H F A Vasen, M H Breuning, C J Cornelisse, C van Krimpen, M F Niermeijer, A H Zwinderman, J Wijnen, R Fodde*

Letters to the Editor

323 *SHOX* point mutations in dyschondrosteosis *C Huber, V Cusin, M Le Merrer, M Mathieu, V Sulmont, N Dagoneau, A Munnich, V Cormier-Daire*

324 Phenotypic heterogeneity of *CYP1B1*: mutations in a patient with Peters' anomaly *A Vincent, G Billingsley, M Priston, D Williams-Lyn, J Sutherland, T Glaser, E Oliver, M A Walter, G Heathcote, A Levin, E Héon*

327 Role of *TP53* P72R polymorphism in human papillomavirus associated premalignant laryngeal neoplasm *L-M Aaltonen, R W Chen, S Roth, A A Mäkitie, H Rihkanen, A Vaheri, L A Aaltonen*

328 Predisposing chromosome for spinocerebellar ataxia type 6 (SCA6) in Japanese *I Yabe, H Sasaki, I Yamashita, K Tashiro, A Takei, Y Suzuki, H Kida, Y Takiyama, M Nishizawa, Y Hokezu, K Nagamatsu, T Oda, A Ohnishi, I Inoue, A Hata*

333 Prenatal testing for Huntington's disease: experience within the UK 1994-1998 *S A Simpson, P S Harper on behalf of the United Kingdom Huntington's Disease Prediction Consortium*

336 Pregnancy outcome and long term prognosis in 868 children born after second trimester amniocentesis for maternal serum positive triple test screening and normal prenatal karyotype *I Witters, E Legius, K Devriendt, P Moerman, D Van Schoubroeck, A Van Assche, J-P Fryns*

338 A syndrome of overgrowth and acromegaloidism with normal growth hormone secretion is associated with chromosome 11 pericentric inversion *C A Stratakis, M L Turner, A Lafferty, J R Toro, S Hill, J M Meck, J Blancato*

343 Maternally inherited duplication of the possible imprinted 14q31 region *C Mignon-Ravix, F Mugneret, C Stavropoulou, D Depetris, P K Van Kien, M-G Mattei*

347 A novel missense mutation in the GTPase activating protein homology region of *TSC2* in two large families with tuberous sclerosis complex *L Khare, G D Strizheva, J N Bailey, K-S Au, H Northrup, M Smith, S L Smalley, E P Henske*

349 Interstitial deletion of 3p22.2-p24.2: the first reported case *H X Liu, P T S P Oei, E A Mitchell, J M McGaughran*

352 **Instructions for authors**

Electronic letters

e13 A cysteine substitution in the zona pellucida domain of α-tectorin results in autosomal dominant, postlingual, progressive, mid frequency hearing loss in a Spanish family *M A Moreno-Pelayo, I del Castillo, M Villamar, L Romero, F J Hernández-Calvin, C Herraiz, R Barberá, C Navas, F Moreno*

e14 Does Bardet-Biedl syndrome have a characteristic face? *I Lorda-Sanchez, C Ayuso, R Sanz, A Ibañez*

e15 Multiple metachromatic leucodystrophy alleles in an unaffected subject: a case of dispermic chimaerism *M B Coulter-Mackie, J Rip, M J Beis, P Ferreira, M D Ludman*

e16 The importance of good images in using hair to screen for breast cancer *V James*

e16 Science or black magic? *D G R Evans, A Howell, S S Hasnain, J G Grossmann*

No 6 JUNE 2001

Page

Original articles

353 The -48 C/T polymorphism in the presenilin 1 promoter is associated with an increased risk of developing Alzheimer's disease and an increased Aβ load in brain *J-C Lambert, D M A Mann, J M Harris, M-C Chartier-Harlin, A Cumming, J Coates, H Lemmon, D StClair, T Iwatsubo, C Lendon*

356 Peutz-Jeghers families unlinked to *STK11/LKB1 gene mutations are highly predisposed to primitive biliary adenocarcinoma S Olschwang, C Boisson, G Thomas*

361 *BRCA1* and *BRCA2* mutation status and cancer family history of Danish women affected with multifocal or bilateral breast cancer at a young age *J T Bergthorsson, B Ejlertsen, J H Olsen, A Borg, K V Nielsen, R B Barkardottir, S Klausen, H T Mouridsen, K Winther, K Fenger, A Niebuhr, T L Harboe, E Niebuhr*

369 Localisation of a gene for an autosomal recessive syndrome of macrocephaly, multiple epiphyseal dysplasia, and distinctive facies to chromosome 15q26 *R Bayoumi, K Saar, Y-A Lee, G Nürnberg, A Reis, M Nur-E-Kamal, L I Al-Gazali*

374 GATA3 abnormalities and the phenotypic spectrum of HDR syndrome *K Muroya, T Hasegawa, Y Ito, T Nagai, H Isotani, Y Iwata, K Yamamoto, S Fujimoto, S Seishu, Y Fukushima, Y Hasegawa, T Ogata*

381 Molecular genetic heterogeneity in autosomal dominant drusen *E E Tarttelin, C Y Gregory-Evans, A C Bird, R G Weleber, M L Klein, J Blackburn, K Gregory-Evans*

Letters to the Editor

385 Mutations in *cis* can confound genotype-phenotype correlations in hypertrophic cardiomyopathy *E Blair, S J Price, C J Baty, I Östman-Smith, H Watkins*

388 Identification of a large rearrangement of the *BRCA1* gene using colour bar code on combed DNA in an American breast/ovarian cancer family previously studied by direct sequencing *S Gad, M T Scheuner, S Pages-Berhouet, V Caux-Moncoutier, A Bensimon, A Aurias, M Pinto, D Stoppa-Lyonnet*

392 A unique form of autosomal dominant cataract explained by gene conversion between β-crystallin B2 and its pseudogene *Vanita, V Sarhadi, A Reis, M Jung, D Singh, K Sperling, J R Singh, J Bürger*

396 Novel mutations of *TMPRSS3* in four DFNB8/B10 families segregating congenital autosomal recessive deafness *T Ben-Yosef, M Wattenhofer, S Riazuddin, Z M Ahmed, H S Scott, J Kudoh, K Shibuya, S E Antonarakis, B Bonne-Tamir, U Radhakrishna, S Naz, Z Ahmed, S Riazuddin, A Pandya, W E Nance, E R Wilcox, T B Friedman, R J Morell*

400 Increased risk of sensorineural hearing loss and migraine in patients with a rare mitochondrial DNA variant 4336A>G in $tRNA^{Gln}$ *S Finnilä, J Autere, M Lehtovirta, P Hartikainen, A Mannermaa, H Soininen, K Majamaa*

405 Split hand/split foot malformation associated with sensorineural deafness, inner and middle ear malformation, hypodontia, congenital vertical talus, and deletion of eight microsatellite markers in 7q21.1-q21.3 *E Haberlandt, J Löffler, A Hirst-Stadlmann, B Stöckl, W Judmaier, H Fischer, P Heinz-Erian, T Müller, G Utermann, R J H Smith, A R Janecke*

409 A missense mutation in the *SEDL* gene results in delayed onset of X linked spondyloepiphyseal dysplasia in a large pedigree *E Grunebaum, E Arpaia, J J MacKenzie, J Fitzpatrick, P N Ray, C M Roifman*

411 Molecular characterisation of a new case of microphthalmia with linear skin defects (MLS) *H Kayserili, T C Cox, L L Cox, S Basaran, G Kiliç, A Ballabio, M Yüksel-Apak*

417 Cryptic telomeric rearrangements in subjects with mental retardation associated with dysmorphism and congenital malformations *E Rossi, F Piccini, M Zollino, G Neri, D Caselli, R Tenconi, C Castellan, R Carrozzo, C Danesino, O Zuffardi, A Ragusa, L Castiglia, O Galesi, D Greco, C Romano, M Pierluigi, C Perfumo, M Di Rocco, F Faravelli, F D Bricarelli, M Bonaglia, M Bedeschi, R Borgatti*

420 Laryngeal atresia, encephalocele, and limb deformities (LEL): a possible new syndrome *K D Kalache, B Masturzo, R J Scott, C H Rodeck, L S Chitty*

423 **Book review**

423 **Notice**

423 **Correction**

424 **Instructions for authors**

Electronic letters

e17 Mutations in the glycine receptor α1 subunit (*GLRA1*) gene in hereditary hyperekplexia pedigrees: evidence for non-penetrance of mutation Y279C *J B J Kwok, S Raskin, G Morgan, S A Antoniuk, I Bruk, P R Schofield*

e18 Ellis-van Creveld syndrome resulting from segmental uniparental disomy of chromosome 4 *S W J Tompson, V L Ruiz-Perez, M J Wright, J A Goodship*

e19 Nijmegen breakage syndrome in a Dutch patient not resulting from a defect in *NBS1* *J A P Hiel, C M R Weemaes, B G M van Engelen, D Smeets, M Ligtenberg, I van der Burgt, L P W J van den Heuvel, K M Cerosaletti, F J M Gabreëls, P Concannon*

e20 Hair roots as the ideal source of mRNA for genetic testing *K King, F A Flinter, P M Green*

e21 Two further cases of WHS with unbalanced de novo translocation t(4;8) characterised by CGH and FISH *H Tönnies, M Stumm, L Neumann, M Volleth, U Grumpelt, J Müsebeck, G Annuss, H Neitzel*

No 7 JULY 2001

Page **Review article**

425 Cultural aspects of cancer genetics: setting a research agenda *B Meiser, M Eisenbruch, K Barlow-Stewart, K Tucker, Z Steel, D Goldstein.*

Original articles

430 Genotype-phenotype correlation in hereditary multiple exostoses *C Francannet, A Cohen-Tanugi, M Le Merrer, A Munnich, J Bonaventure, L Legeai-Mallet*

435 Segregation of a totally skewed pattern of X chromosome inactivation in four familial cases of Rett syndrome without *MECP2* mutation: implications for the disease *L Villard, N Lévy, F Xiang, A Kpebe, V Labelle, C Chevillard, Z Zhang, C E Schwartz, M Tardieu, J Chelly, M Anvret, M Fontès*

443 Disruption of one intra-chain disulphide bond in the carboxyl-terminal propeptide of the proα1(I) chain of type I procollagen permits slow assembly and secretion of overmodified, but stable procollagen trimers and results in mild osteogenesis imperfecta *J M Pace, C D Kuslich, M C Willing, P H Byers*

Short reports

450 Wild type huntingtin reduces the cellular toxicity of mutant huntingtin in mammalian cell models of Huntington's disease *L W Ho, R Brown, M Maxwell, A Wyttenbach, D C Rubinsztein*

453 A majority of fragile X males with methylated, full mutation alleles have significant levels of *FMR1* messenger RNA *F Tassone, R J Hagerman, A K Taylor, P J Hagerman*

Letters to the Editor

457 Pseudoxanthoma elasticum: evidence for the existence of a pseudogene highly homologous to the *ABCC6* gene *D P Germain*

461 Hereditary and somatic DNA mismatch repair gene mutations in sporadic endometrial carcinoma *R B Chadwick, R E Pyatt, T H Niemann, S K Richards, C K Johnson, M W Stevens, J E Meek, H Hampel, T W Prior, A de la Chapelle*

466 Absence of learning difficulties in a hyperactive boy with a terminal Xp deletion encompassing the *MRX49* locus *E S Tobias, G Bryce, G Farmer, J Barton, J Colgan, N Morrison, A Cooke, J L Tolmie*

470 Identification of a new *TWIST* mutation (7p21) with variable eyelid manifestations supports locus homogeneity of BPES at 3q22 *H Dollfus, G Kumaramanickavel, P Biswas, C Stoetzel, R Quillet, M Denton, M Maw, F Perrin-Schmitt*

472 Association between the defective Pro369Ser mutation and in vivo intrahepatic α1-antitrypsin accumulation *S Seixas, A I Lopes, J Rocha, L Silva, C Salgueiro, J Salazar-de-Sousa, A Batista*
474 The androgen receptor and DXS15-134 markers show a high rate of discordance for germline X chromosome inactivation *V Mahavni, S C Kim, T A Benda, L Sanders, R E Buller*
478 Evaluation of the *ELOVL4* gene in families with retinitis pigmentosa linked to the *RP25* locus *Y Li, I Marcos, S Borrego, Z Yu, K Zhang, G Antiñolo*
480 *PTEN* mutations are uncommon in Proteus syndrome *K Barker, A Martinez, R Wang, S Bevan, V Murday, J Shipley, R Houlston, J Harper*
481 Limited contribution of interchromosomal gene conversion to *NF1* gene mutation *M Luijten, R Fahsold, C Mischung, A Westerveld, P Nürnberg, T J M Hulsebos*
485 A clinical study of patients with multiple isolated neurofibromas *P Blakley, D N Louis, M P Short, M MacCollin*
488 B cell immunodeficiency, distal limb abnormalities, and urogenital malformations in a three generation family: a novel autosomal dominant syndrome? *P Edery, F Le Deist, M-L Briard, M Debré, A Munnich, C Griscelli, A Fischer, S Lyonnet*
493 Chromosome 2 interstitial deletion (del(2)(q14.1q21)) associated with connective tissue laxity and an attention deficit disorder *K L Baker, M I Rees, P W Thompson, R T Howell, T R Cole, H E Hughes, M Upadhyaya, D Ravine*

Electronic letters

e22 Distal arthrogryposis: a new type with distinct facial appearance and absent teeth *R K Beals, S LaFranchi*
e23 A Chinese adult onset type II citrullinaemia patient with 851del4/1638ins23 mutations in the *SLC25A13* gene *W-L Hwu, K Kobayashi, Y-H Hu, N Yamaguchi, T Saheki, S-P Chou, J-H Wang*
e24 Genetic analysis of the connexin-26 M34T variant *A J Griffith*
Reply *D P Kelsell, M J Houseman, W Reardon, M Bitner-Glindzicz, R F Mueller*

No 8 AUGUST 2001

Page **Review article**
497 Complex and segmental uniparental disomy (UPD): review and lessons from rare chromosomal complements *D Kotzot*

Original articles

508 VHL c.505 T>C mutation confers a high age related penetrance but no increased overall mortality *B U Bender, C Eng, M Olschewski, D P Berger, J Laubenberger, C Altehöfer, G Kirste, M Orszagh, V van Velthoven, H Miosczka, D Schmidt, H P H Neumann*
515 A common founder for the 35delG *GJB2* gene mutation in connexin 26 hearing impairment *L Van Laer, P Coucke, R F Mueller, G Caethoven, K Flothmann, S D Prasad, G P Chamberlin, M Houseman, G R Taylor, C M Van de Heyning, E Fransen, J Rowland, R A Cucci, R J H Smith, G Van Camp*
519 Predictive genetic testing in children and adults: a study of emotional impact *S Michie, M Bobrow, T M Marteau, FAP Collaborative Research Group*

Letters to the Editor

527 Dutch patients with glycogen storage disease type II show common ancestry for the 525delT and del exon 18 mutations *M G E M Ausems, K ten Berg, L A Sandkuijl, M A Kroos, A F J Bardoel, K N Roumelioti, A J J Reuser, R Sinke, C Wijmenga*
530 Recurrent mutations in the deafness gene *GJB2* (connexin 26) in British Asian families *S Rickard, D P Kelsell, T Sirimana, K Rajput, B MacArdle, M Bitner-Glindzicz*
533 A region of homozygosity within 22q11.2 associated with congenital heart disease: recessive DiGeorge/velocardiofacial syndrome? *J Henwood, C Pickard, J P Leek, C P Bennett, Y J Crow, J D R Thomson, M Ahmed, K G Watterson, J M Parsons, E Roberts, N J Lench*
536 High frequency of the *ApoB*-100 R3500Q mutation in Bulgarian hypercholesterolaemic subjects *A Horvath, A Savov, S Kirov, E Karshelova, I Paskaleva, A Goudev, V Ganev*
540 A community based study on intentions regarding predictive testing for hereditary breast cancer *M Welkenhuysen, G Evers-Kiebooms, M Decruyenaere, E Claes, L Denayer*
547 Ocular malformations, postaxial polydactyly, and delayed intramembranous ossification: a new autosomal dominant condition *D M Martin, J L Gorski*
551 Recessively inherited lower incisor hypodontia *S Pirinen, A Kentala, P Nieminen, T Varilo, I Thesleff, S Arte*
556 Congenital diaphragmatic hernia and interstitial deletion of chromosome 3 *P Brennan, G D Croaker, M Heath*
559 A supernumerary marker chromosome with a neocentromere derived from 5p14→pter *B Fritz, I Dietze, A Wandall, M Aslan, A Schmidt, E Kattner, R Schwerdtfeger, U Friedrich*
565 A case of Roberts syndrome described in 1737 *A W Bates*
568 **Instructions for authors**

Electronic letters

e25 A novel mutation in a family with non-syndromic sensorineural hearing loss that disrupts the newly characterised *OTOF* long isoforms *M J Houseman, A P Jackson, L I Al-Gazali, R A Badin, E Roberts, R F Mueller*
e26 *MET* mutation and familial gastric cancer *J D Chen, S Kearns, T Porter, F M Richards, E R Maher, B T Teh*
e27 Agenesis of cruciate ligaments and menisci causing severe knee dysplasia in TAR syndrome *D Héron, C Bonnard, C Moraine, A Toutain*

No 9 SEPTEMBER 2001

Page **Review articles**
569 Defining the genetic contribution of type 2 diabetes mellitus *J van Tilburg, T W van Haeften, P Pearson, C Wijmenga*
579 Ectodermal dysplasias: a new clinical-genetic classification *M Priolo, C Laganà*

Original articles

586 β-adrenergic antagonists improve sleep and behavioural disturbances in a circadian disorder, Smith-Magenis syndrome *H De Leersnyder, M de Blois, M Vekemans, D Sidi, E Villain, C Kindermans, A Munnich*

591 Breakpoint analysis of Turner patients with partial Xp deletions: implications for the lymphoedema gene location *C A Boucher, C A Sargent, T Ogata, N A Affara*

599 Classification and genetic features of neonatal haemochromatosis: a study of 27 affected pedigrees and molecular analysis of genes implicated in iron metabolism *A L Kelly, P W Lunt, F Rodrigues, P J Berry, D M Flynn, P J McKiernan, D A Kelly, G Mieli-Vergani, T M Cox*

Letters to the Editor

611 Clustering and frequency of mutations in the retinal guanylate cyclase (*GUCY2D*) gene in patients with dominant cone-rod dystrophies *A M Payne, A G Morris, S M Downes, S Johnson, A C Bird, A T Moore, S S Bhattacharya, D M Hunt*

615 A G339R mutation in the *CTNS* gene is a common cause of nephropathic cystinosis in the south western Ontario Amish Mennonite population *C A Rupar, D Matsell, S Surry, V Siu*

617 De novo terminal deletion of chromosome 15q26.1 characterised by comparative genomic hybridisation and FISH with locus specific probes *H Tönnies, I Schulze, H-C Hennies, L M Neumann, R Keitzer, H Neitzel*

621 Interstitial deletion of chromosome 11 (q22.3-q23.2) in a boy with mild developmental delay *M Syrrou, J-P Fryns*

624 Microdeletion in the *FMR-1* gene: an apparent null allele using routine clinical PCR amplification *M R Hegde, B Chong, M Fawkner, N Lambiris, H Peters, A Kenneson, S T Warren, D R Love, J McGaughran*

629 Non-invasive evaluation of arterial involvement in patients affected with Fabry disease *P Boutouyrie, S Laurent, B Laloux, O Lidove, J Grunfeld, D P Germain*

632 Variation of iron loading expression in C282Y homozygous haemochromatosis probands and sib pairs *C Mura, G Le Gac, V Scotet, O Raguenes, A-Y Mercier, C Férec*

636 Haptoglobin genotype as a risk factor for postmenopausal osteoporosis *G P Pescarmona, P D'Amelio, E Morra, G C Isaia*

638 *GDNF* as a candidate modifier in a type 1 neurofibromatosis (NF1) enteric phenotype *M Bahuau, A Pelet, D Vidaud, T Lamireau, B Le Bail, A Munnich, M Vidaud, S Lyonnet, D Lacombe*

643 Six novel mutations in the *PRF1* gene in children with haemophagocytic lymphohistiocytosis *R Clementi, U zur Stadt, G Savoldi, S Varotto, V Conter, C De Fusco, L D Notarangelo, M Schneider, C Klersy, G Janka, C Danesino, M Aricò*

646 A novel mutation in the endothelin B receptor gene in a patient with Shah-Waardenburg syndrome and Down syndrome *J P Boardman, P Syrris, S E Holder, N J Robertson, N Carter, K Lakhoo*

647 **Notice**

648 **Instructions for authors**

Electronic letters

e28 Mitochondrial DNA inheritance in patients with deleted mtDNA *L Quintana-Murci, A Rötig, A Munnich, P Rustin, T Bourgeron*

e29 Screening families with endometrial and colorectal cancers for germline mutations *T Liu, J Chen, S Salahshor, S Kuismanen, E Holmberg, H Grönberg, P Peltomäki, A Lindblom*

e30 Novel mutations of *SOX10* suggest a dominant negative role in Waardenburg-Shah syndrome *M H Sham, V C H Lui, B L S Chen, M Fu, P K H Tam*

e31 Fibrinogen genotypes (*α* and *β*) are associated with plasma fibrinogen levels in Chinese *Y Liu, N Saha, C K Heng, S Hong, P S Low*

e32 A case of ring chromosome 2 with growth retardation, mild dysmorphism, and microdeletion of 2p detected using FISH *S L Dee, A T Clark, L R Willatt, J R W Yates*

No 10 OCTOBER 2001

Page

Review article

649 The expanding phenotype of laminin α2 chain (merosin) abnormalities: case series and review *K J Jones, G Morgan, H Johnston, V Tobias, R A Ouvrier, I Wilkinson, K N North*

Original articles

658 A dominant gene for developmental dyslexia on chromosome 3 *J Nopola-Hemmi, B Myllyluoma, T Haltia, M Taipale, V Ollikainen, T Ahonen, A Voutilainen, J Kere, E Widén*

665 Frequency of mitochondrial transfer RNA mutations and deletions in 225 patients presenting with respiratory chain deficiencies *M Jaksch, S Kleinle, C Scharfe, T Klopstock, D Pongratz, J Müller-Höcker, K-D Gerbitz, S Liechti-Gallati, H Lochmuller, R Horvath*

674 An epidemiological study of Wolf-Hirschhorn syndrome: life expectancy and cause of mortality *N L Shannon, E L Maltby, A S Rigby, O W J Quarrell*

Short report

680 Kufor-Rakeb syndrome, pallido-pyramidal degeneration with supranuclear upgaze paresis and dementia, maps to 1p36 *D J Hampshire, E Roberts, Y Crow, J Bond, A Mubaidin, A-L Wriekat, A Al-Din, C G Woods*

Letters to the Editor

683 Surveillance or surgery? A description of the factors that influence high risk premenopausal women's decisions about prophylactic oophorectomy *N Hallowell, I Jacobs, M Richards, J Mackay, M Gore*

691 Oncology nurse training in cancer genetics *C Gaff, K Aittomäki, R Williamson*

695 Participation in preconceptional carrier couple screening: characteristics, attitudes, and knowledge of both partners *L Henneman, I Bramsen, H M van der Ploeg, H J Adèr, H E van der Horst, J J P Gille, L P ten Kate*

703 Functional characterisation of mitochondrial $tRNA^{Tyr}$ mutation (5877G→A) associated with familial chronic progressive external ophthalmoplegia *K Sahashi, M Yoneda, K Ohno, M Tanaka, T Ibi, K Sahashi*

705 Mutation detection in long QT syndrome: a comprehensive set of primers and PCR conditions *P Syrris, A Murray, N D Carter, W M McKenna, S Jeffery*

710 Triplication of several PAR1 genes and part of the *Homo sapiens* specific Yp11.2/Xq21.3 region of homology in a 46,X,t(X;Y)(p22.33;p11.2) male with schizophrenia *N L J Ross, J Yang, C A Sargent, C A Boucher, S Nanko, R Wadekar, N A Williams, N A Affara, T J Crow*

719 Potential mapping of corneal dermoids to Xq24-qter *P Dar, A A Javed, M Ben-Yishay, J C Ferreira, A D Paterson, S J Gross, D Chitayat, B E Morrow, H M Nitowsky*
723 Satellites on the terminal short arm of chromosome 12 (12ps), inherited through several generations in three families: a new variant without phenotypic effect *L Willatt, A J Green, D Trump*
727 **Notice**
727 **Correction**
728 **Instructions for authors**
Electronic letters
e33 The Asp1822Val variant of the *APC* gene is a common polymorphism without clinical implications *C Ruiz-Ponte, A Vega, R Conde, F Barros, A Carracedo*
e34 A simple non-isotopic method to show pitfalls during mutation analysis of the glucocerebrosidase gene *M Filocamo, S Regis, R Mazzotti, G Parenti, M Stroppiano, R Gatti*
e35 No evidence of allelic heterogeneity in the *DYT1* gene of European patients with early onset torsion dystonia *S Tuffery-Giraud, L Cavalier, A Roubertie, C Guittard, S Carles, P Calvas, B Echenne, P Coubes, M Claustres*
e36 Autosomal recessive non-syndromic hearing loss in the Lebanese population: prevalence of the 30delG mutation and report of two novel mutations in the connexin 26 (*GJB2*) gene *M Mustapha, N Salem, V Delague, E Chouery, M Ghassibeh, M Rai, J Loiselet, C Petit, A Mégarbané*

No 11 NOVEMBER 2001

Page **Review article**
729 Hirschsprung disease, associated syndromes, and genetics: a review *J Amiel, S Lyonnet*
Original articles
740 High resolution comparative genomic hybridisation in clinical cytogenetics *M Kirchhoff, H Rose, C Lundsteen*
745 Acromicric dysplasia: long term outcome and evidence of autosomal dominant inheritance *L Faivre, M Le Merrer, C Baumann, M Polak, P Chatelain, V Sulmont, J Cousin, M Bost, M P Cordier, E Zackai, K Russell, G Finidori, J C Pouliquen, A Munnich, P Maroteaux, V Cormier-Daire*
750 Anderson-Fabry disease: clinical manifestations and impact of disease in a cohort of 98 hemizygous males *K D MacDermot, A Holmes, A H Miners*
761 Clinical heterogeneity in lymphoedema-distichiasis with *FOXC2* truncating mutations *R P Erickson, S L Dagenais, M S Caulder, C A Downs, G Herman, M C Jones, W S Kerstjens-Frederikse, A C Lidral, M McDonald, C C Nelson, M Witte, T W Glover*
Short report
767 Coeliac disease in Williams syndrome *A Giannotti, G Tiberio, M Castro, F Virgilii, F Colistro, F Ferretti, M C Digilio, M Gambarara, B Dallapiccola*
Letters to the Editor
769 Anderson-Fabry disease: clinical manifestations and impact of disease in a cohort of 60 obligate carrier females *K D MacDermot, A Holmes, A H Miners*
775 Thrombophilic polymorphisms in pre-eclampsia: altered frequency of the functional 98C>T polymorphism of glycoprotein IIIa *K M O'Shaughnessy, B Fu, S Downing, N H Morris*
777 Cystic fibrosis patients with the 3272-26A>G splicing mutation have milder disease than F508del homozygotes: a large European study *M D Amaral, P Pacheco, S Beck, C M Farinha, D Penque, P Nogueira, C Barreto, B Lopes, T Casals, J Dapena, S Gartner, C Vásquez, J Pérez-Frías, C Oliveira, R Cabanas, X Estivill, M Tzetis, E Kanavakis, S Doudounakis, T Dörk, B Tümmler, E Girodon-Boulandet, C Cazeneuve, M Goossens, M Blayau, C Verlingue, I Vieira, C Férec, M Claustres, M des Georges, C Clavel, P Birembaut, D Hubert, T Bienvenu, M Adoun, J-C Chomel, K De Boeck, H Cuppens, J Lavinha*
783 Maternal gene effect in neurofibromatosis 2: fact or artefact? *M E Baser, J M Friedman, D G R Evans*
784 Familial medullary thyroid carcinoma and prominent corneal nerves associated with the germline V804M and V778I mutations on the same allele of *RET* *L Kasprzak, S Nolet, L Gaboury, C Pavia, C Villabona, F Rivera-Fillat, J Oriola, W D Foulkes*
787 Comprehension of cancer risk one and 12 months after predictive genetic testing for hereditary non-polyposis colorectal cancer *K Aktan-Collan, A Haukkala, J-P Mecklin, A Uutela, H Kääriäinen*
792 Population prevalence and estimated birth incidence and mortality rate for people with Prader-Willi syndrome in one UK Health Region *J E Whittington, A J Holland, T Webb, J Butler, D Clarke, H Boer*
798 Mosaicism for 45, X cell line may accentuate the severity of spermatogenic defects in men with AZFc deletion *J Jaruzelska, A Korcz, A Wojda, P Jedrzejczak, J Bierla, T Surmacz, L Pawelczyk, D C Page, M Kotecki*
802 Alternative centromeric inactivation in a pseudodicentric t(Y;13)(q12;p11.2) translocation chromosome associated with extreme oligozoospermia *J P Siffroi, B Benzacken, R Angelopoulou, C Le Bourhis, I Berthaut, S Kanafani, A Smahi, J P Wolf, J P Dadoune*
807 **Book review**
808 **Instructions for authors**
Electronic letters
e37 Wolfram syndrome: a clinical and molecular genetic analysis *P Eller, B Föger, R Gander, T Sauper, M Lechleitner, G Finkenstedt, J R Patsch*
e38 Twenty CAG repeats are sufficient to cause the SCA6 phenotype *K Komeichi, H Sasaki, I Yabe, I Yamashita, S Kikuchi, K Tashiro*
e39 Hereditary spastic paraplegia linked to chromosome 14q11-q21: reduction of the SPG3 locus interval from 5.3 to 2.7 cM *S Rainier, P Hedera, D Alvarado, X Zhao, K A Kleopa, T Heiman-Patterson, J K Fink*
e40 Molecular and clinical study of two myotonic dystrophy homozygotes *F Akbas, P Serdaroglu, F Deymeer, F Aysal, N Erginel-Unaltuna*
e41 Analysis of the *SRY* gene in Turner syndrome patients with Y chromosomal material *T Yorifuji, J Muroi, M Mamada, A Uematsu, M Kawai, T Momoi, M Kaji, C Yamanaka, T Nakahata*

No 12 DECEMBER 2001

Page

Editorial

809 *JMG* Online: exploiting the potential of electronic publication and manuscript submission *E R Maher*

Review article

810 Silver-Russell syndrome: a dissection of the genetic aetiology and candidate chromosomal regions *M P Hitchins, P Stanier, M A Preece, G E Moore*

Original articles

820 A novel germline mutation of the *PTEN* gene in a patient with macrocephaly, ventricular dilatation, and features of VATER association *W Reardon, X-P Zhou, C Eng*

824 Interpreting epidemiological research: blinded comparison of methods used to estimate the prevalence of inherited mutations in *BRCA1* *C Eng, L C Brody, T M U Wagner, P Devilee, J Vijg, C Szabo, S V Tavtigian, K L Nathanson, E Ostrander, T S Frank, on behalf of the Steering Committee of the Breast Cancer Information Core (BIC) Consortium*

834 Distinct phenotypes distinguish the molecular classes of Angelman syndrome *A C Lossie, M M Whitney, D Amidon, H J Dong, P Chen, D Theriaque, A Hutson, R D Nicholls, R T Zori, C A Williams, D J Driscoll*

Letters to the Editor

846 Presymptomatic testing in myotonic dystrophy: genetic counselling approaches *S Fokstuen, J Myring, C Evans, P S Harper*

850 Trinucleotide repeat contraction: a pitfall in prenatal diagnosis of myotonic dystrophy *J Amiel, V Raclin, J-M Jouannic, N Morichon, H Hoffman-Radvanyi, M Dommergues, J Feingold, A Munnich, J-P Bonnefont*

852 Psychological studies in Huntington's disease: making up the balance *M Duisterhof, R W Trijsburg, M F Niermeijer, R A C Roos, A Tibben*

861 A novel 3' mutation in the *APC* gene in a family presenting with a desmoid tumour *D Eccles, J Harvey, A Bateman, F Ross*

863 A silent mutation in exon 14 of the *APC* gene is associated with exon skipping in a FAP family *M Montera, F Piaggio, C Marchese, V Gismondi, A Stella, N Resta, L Varesco, G Guanti, C Mareni*

867 Evidence of somatic mosaicism for a *MECP2* mutation in females with Rett syndrome: diagnostic implications *V Bourdon, C Philippe, T Bienvenu, B Koenig, M Tardieu, J Chelly, P Jonveaux*

871 Temperature sensitive acyl-CoA oxidase import in group A peroxisome biogenesis disorders *A Imamura, N Shimozawa, Y Suzuki, Z Zhang, T Tsukamoto, T Orii, T Osumi, N Kondo*

874 Novel mutations of *FOXP3* in two Japanese patients with immune dysregulation, polyendocrinopathy, enteropathy, X linked syndrome (IPEX) *I Kobayashi, R Shiari, M Yamada, N Kawamura, M Okano, A Yara, A Iguchi, N Ishikawa, T Ariga, Y Sakiyama, H D Ochs, K Kobayashi*

876 Maternal uniparental isodisomy 11q13→qter in a dysmorphic and mentally retarded female with partial trisomy mosaicism 11q13→qter *D Kotzot, B Röthlisberger, M Riegel, A Schinzel*

882 High frequencies of ICF syndrome-like pericentromeric heterochromatin decondensation and breakage in chromosome 1 in a chorionic villus sample *M Ehrlich, F Tsien, D Herrera, V Blackman, J Roggenbuck, C M Tuck-Muller*

885 Supernumerary marker chromosome (1) of paternal origin and maternal uniparental disomy 1 in a developmentally delayed child *B Röthlisberger, T E Zerova, D Kotzot, T I Buzhievskaya, D Balmer, A Schinzel*

889 Sponastrime dysplasia: presentation in infancy *A C Offiah, M Lees, R M Winter, C M Hall*

894 **Book review**

894 **Correction**

895 **Instructions for authors**

896 **Index**

e42 Eight years' experience of direct molecular testing for myotonic dystrophy in Wales *S Fokstuen, J Myring, L Meredith, D Ravine, P S Harper*

e43 Myosin light chain mutations in familial hypertrophic cardiomyopathy: phenotypic presentation and frequency in Danish and South African populations *P S Andersen, O Havndrup, H Bundgaard, J C Moolman-Smook, L A Larsen, J Mogensen, P A Brink, A D Børglum, V A Corfield, K Kjeldsen, J Vuust, M Christiansen*

e44 Detection of a large *TBX5* deletion in a family with Holt-Oram syndrome *S M Akrami, R M Winter, J D Brook, J A L Armour*

e45 Mutation analysis of *TBX1* in non-deleted patients with features of DGS/VCFS or isolated cardiovascular defects *W Gong, S Gottlieb, J Collins, A Blescia, H Dietz, E Goldmuntz, D M McDonald-McGinn, E H Zackai, B S Emanuel, D A Driscoll, M L Budarf*

e46 De novo mutations in the 5' regulatory region of the Norrie disease gene in retinopathy of prematurity *S J Talks, N Ebenezer, P Hykin, G Adams, F Yang, E Schulenberg, K Gregory-Evans, C Y Gregory-Evans*